


VCEPrep



Try Before You Buy

Download a free sample of any of our exam questions and answers


- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.

Select a vendor...

Select an exam...

Your email address

[Free Download](#)



What Clients Say About Us

“ The study guide is valid. I pass the exam and get a nice score. Most questions are valid and only 5 questions are new. I don't believe on-line advertisement before until this exam JN0-1330. - **Daphne** ”

“ Pass HPE2-T30 easily. I will buy HP2-Z37 too. Please give me discount. I hope it is cheap. - **Freda** ”

“ I like this dump. It is really the latest version. It is different from I buy from other company. I must to say I can not pass without this dump. - **Milo** ”

 HAPPY CUSTOMERS 68263	 DOWNLOADS 68263	 TEAM MEMBERS 68263	 SHARES 68263
---	---	---	--

<http://www.vceprep.com>

Reliable VCE dumps & Latest exam prep & New VCE -examcollection

Exam : **C2090-424**

Title : InfoSphere DataStage v11.3

Vendor : IBM

Version : DEMO

NO.1 When building an UPDATE statement in SQL Query builder, which of the following is TRUE?

- A.Predicates cannot refine what rows are updated
- B.Table(s) referenced must have table definitions imported previously
- C.Column values can be job parameters or input columns but not expressions
- D.Columns to update must be selected individually from the column selection grid

Answer: D

NO.2 Which type of data can be extracted using the Unstructured Data stage?

- A.XML data
- B.Microsoft Word data
- C.Microsoft Excel data
- D.BigInsights HDFS file data

Answer: C

Reference:

https://www01.ibm.com/support/knowledgecenter/SSZJPZ_11.3.0/com.ibm.swg.im.iis.ds.unstructur eddatastage.usage.doc/topics/uds_extract_data.html

NO.3 Record Count property is set to zero in Connector stage. How many rows are written out?

- A.All Rows
- B.One Row
- C.Zero Rows
- D.2000 Rows

Answer: A

Reference:

http://www01.ibm.com/support/knowledgecenter/SSZJPZ_8.7.0/com.ibm.swg.im.iis.conn.db2db.hel p.doc/topics/props_input_db2.html?lang=en

NO.4 In the Masking Policy Editor in the Data Masking stage of your job, you have specified for a column containing credit card numbers the Random Replacement masking policy. For the Copy option you have specified "(1,2)(3,4)".

What changes will be made to a credit card number, such as 6327664369, to mask it?

- A.Digits 1 through 2 and digits 3 through 4 will be randomly changed. The rest of the digits will remain the same.
- B.Digits 1 through 2 and digits 3 through 4 will remain the same. The rest of the digits will be randomly changed.
- C.The 2 digits starting at digit 1 and the 4 digits starting at digit 3 will remain the same. The rest of the digits will be randomly changed.
- D.The 2 digits starting at digit 1 and the 4 digits starting at digit 3 will be randomly changed. The rest of the digits will remain the same.

Answer: D

NO.5 Which of the following is TRUE about Transformer Stage when \$APT_TRANSFORM_COMPILE_OLD_NULL_HANDLING is set?

- A.A Modify Operator is inserted at run time before a Transformer stage to handle null values
- B.If an input column that is used in the derivation expression of an output column contains a null value, then the resulting output column contains a null.
- C.If an input column that is used in the derivation expression of an output column contains a null

value, then that row will be dropped or, if a reject link had been defined, rejected
D.If an input column that is used in the derivation expression of an output column contains a null value, then the resulting output column will be calculated ignoring the Null value.

Answer: C

NO.6 Which of the following is the correct schema format for a Time column?

- A.record (tField:time[hour:minute:second];)
- B.record (tField:nullable time[;])
- C.record (tField:time[seconds];)
- D.record (tField:time[microseconds];)

Answer: C

Reference:

https://www01.ibm.com/support/knowledgecenter/SSZJPZ_11.3.0/com.ibm.swg.im.iis.ds.parjob.dev.doc/topics/r_deeref_Time_Columns.html

NO.7 Which statement about shared containers is TRUE?

- A.A shared container is an independently compiled unit
- B.A local container can be converted to a shared container
- C.A shared container can be converted to a local container
- D.A container cannot be created by selecting a group of stages and links in a job

Answer: B

Reference:

https://www01.ibm.com/support/knowledgecenter/SSZJPZ_11.3.0/com.ibm.swg.im.iis.ds.design.doc/topics/t_ddesref_Converting_Containers.html

NO.8 How do you create a shared table definition from the DataStage client?

- A.Use the save button on the columns tab of the stage editor
- B.Use the shared table creation wizard from the repository window
- C.Do nothing. They are created automatically when table definitions are imported
- D.It cannot be done within the DataStage client. Use the InfoSphere Metadata Asset Manager (IMAM) utility instead.

Answer: B

NO.9 Your job consists of a DB2 Connector stage followed by a Sort stage followed by a Transformer stage followed by another DB2 Connector stage.

The following two Balanced Optimizer options have been selected:

- Push processing to data sources
- Push processing to data targets

The following two Balanced Optimizer options have NOT been selected:

- Push data reduction processing to data targets
- Push all processing into the (target) data server

Assuming the job design allows for maximum optimization, what does the optimized job design look like?

- A.Row Generator stage followed by a DB2 Connector stage
- B.DB2 Connector stage followed by a DB2 Connector stage
- C.DB2 stage followed by a Transformer stage followed by a DB2 Connector stage
- D.DB2 Connector stage followed by a Sort stage followed by a Transformer stage followed by another

DB2 Connector stage

Answer: A

NO.10 Select the correct command to reset a password to Info1234 for user srv_etl in the Information Server internal registry, in the Unix environment.

A.iisAdmin.sh -user srv_etl -password Info1234

B.iisAdmin.sh -user -userid srv_etl -password Info1234

C.SessionAdmin.sh -user -userid srv_etl -password Info1234

D.DirectoryAdmin.sh -user -userid srv_etl -password Info1234

Answer: C